

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	(transfer\$4 forward\$4) with (sequence number) with packet with (RNC controller (base adj station) node) with (handoff handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:00
L2	106	(transfer\$4 forward\$4) with (sequence number) with (RNC controller (base adj station) node) with (handoff handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:54
L3	10	(transfer\$4 forward\$4) with (sequence number) with (RNC controller (base adj station) node bsc pcf) with (handoff handover) with (queue buffer memory stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:56
L4	5897	(transfer\$4 forward\$4) with (sequence number) with (RNC controller (base adj station) node bsc pcf) with (queue buffer memory stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:57
L5	12	4 same (handoff handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:56
L6	3	(transfer\$4 forward\$4) with (sequence number) with (RNC controller (base adj station) node bsc pcf) with (queue buffer memory stor\$4) with order with priori\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:57
L7	5	(transfer\$4 forward\$4) with (sequence number) with (RNC controller (base adj station) node bsc pcf) with (queue buffer memory stor\$4) with order\$4 with priori\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:57
L8	116	(transfer\$4 forward\$4) with (sequence number) with (RNC controller (base adj station) node bsc pcf) with (queue buffer memory stor\$4) with priori\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:59
L9	33	GRUHL adj STEFAN.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:59

EAST Search History

L10	59	MUECKENHEIM adj JENS.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:00
L11	74	9 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:00
L12	3	((transfer\$4 forward\$4) with (sequence number) with packet with (RNC controller (base adj station) node) with priori\$4 with (path connection link channel) with (buffer\$4 queu\$4 stor\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:01
L13	8	((sequence number) with packet with (RNC controller (base adj station) node) with priori\$4 with (path connection link channel) with (buffer\$4 queu\$4 stor\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:01
L14	1	13 and (9 10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:02
L15	2233	370/394	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:02
L16	1	15 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 23:02